




WO 2004/026411

PCT/IT2003/000019


2/11



PICTURE 8







PICTURE 6



PICTURE 7


3/11



PICTURE 5

SHEET

4/11





10/527 873


WO 2004/026411

5/11

PCT/IT2003/000019








WO 2004/026411

8/11

PCT/IT2003/000019

DRAWING N. 7
PICTURE D


A = SENSORS IN THE CENTRE
OF THE BLADDER




PICTURE B
STOP WATCH



PICTURE C = D/1 BLADDER






SHEET 9/11





PICTURE 1

GOAL



⊕

PICTURE 2




BLADDER

PICTURE 3

PRODUCT DIAGRAMS


Drawing n. 1



Aerial Floor-Max Plus


Width: 155 cm
Length: 67 cm
Thickness: 2 cm
Weight (cable excepted)

Drawing n. 2



Screen for the aerial
Width: 180 cm
Length: 91 cm
Thickness: 1 cm
Weight (container): 6 kg
Weight (plate): 89 kg


Drawing n. 3



Condenser card container

Height: 47.5 cm (18.7")
Width: 37.8 cm (14.9")
Thickness: 8.5 cm (3.3")
Weight: 2.4 kg (5.25 lbs.)

Drawing n. 4



Centrale Ultra*Post Plus


Height: 55.8 cm
Width: 37.6 cm
Width (flangia included)
Thickness: 11.0 cm
Weight: 11.1 kg

WO 2004/026411

PCT/IT2003/000019

11/11

INFRARED RAYS AND DETECTORS ALL ALONG
THE FOOTBALL GROUND LINE



FOURTH OFFICIAL HOLDING TRANSMITTER RECEIVER
AND WATCHING MONITORS

UNDERLAWN NEON LIGHTS
ANEI FOG